

ENERGY IN THE UNIVERSE AND ITS SYNTROPIC FORMS OF EXISTENCE ACCORDING TO THE BSM – SUPERGRAVITATION UNIFIELD THEORY

DR. STOYAN SARG SARGOYTCHEV

WORLD INSTITUTE FOR SCIENTIFIC EXPLORATION

CANADA

[HTTP://INSTITUTEFORSCIENTIFICEXPLORATION.ORG/](http://instituteforscientificexploration.org/)

ABSTRACT: ACCORDING TO THE BSM- SUPERGRAVITATION UNIFIED THEORY (BSM-SG), THE ENERGY IS INDISPENSABLE FEATURE OF MATTER, WHILE THE MATTER POSSESSES HIERARCHICAL LEVELS OF ORGANIZATION. THE PHYSICAL VACUUM ACCORDING TO BSM-SG POSSESSES UNDERLYING ORGANIZED STRUCTURE CALLED A COSMIC LATTICE. IT CONTAINS TWO TYPES OF ENERGIES: A STATIC ONE, THAT IS ENORMOUS BUT NOT ELECTROMAGNETIC AND A DYNAMIC ONE - CONNECTED TO ELECTRICITY AND MAGNETISM. AT THE UPPER LEVELS OF MATTER ORGANIZATION IS THE ATOMIC ENERGY, FOLLOWED BY THE CHEMICAL ENERGY. THE NEXT UPPER LEVEL IS THE ENERGY OF THE BIOMOLECULES, INCLUDING THE DNA AND THE PROTEINS. THEY CAN STORE ENERGY AS ROTATING QUANTUM STATES IN RINGS OF ATOMS. A DETAILED HYPOTHESIS ABOUT SUCH A FEATURE WAS PREVIOUSLY PUBLISHED IN [HTTP://VIXRA.ORG/ABS/1307.0059](http://vixra.org/abs/1307.0059). WHEN THE STORED IN SUCH WAY ENERGY IS RELEASED IT MAY FORM RINGS OF ENTANGLED PHOTONS CIRCULATING IN A LOCALIZED SPACE VOLUME. THIS ENVISIONED UPPER ENERGY LEVEL IS ABLE TO STORE INFORMATION, SO IT IS CALLED AN INFORMATION FIELD. BASED ON THE PROPERTIES OF THE PHOTONS TO PRESERVE THEIR ENERGY, THE INFORMATION FIELD SHOULD BE STABLE.

KEY WORDS: ENERGY OF PHYSICAL VACUUM, BIOFIELD, LIFE ENERGY, INFORMATION FIELD

INTRODUCTION

WHAT is the relation between the energy and matter? Is the physical vacuum a pure empty space? What does define the constant velocity of light, while knowing that the definition of velocity is a distance over time? Is there primary etalons of space and time? Are we sure that the Einstein equation $E = mc^2$ does not have a limit in the micro-scale? These are fundamentally important questions, while their discussion is usually avoided. The theoretical physics must be a reliable fundamental base for all fields in physics. However, we must accept unexplainable postulates and rules, sometimes in conflict with the human logic. One such example is the claim that the human logic fails in quantum mechanics and particle physics. This, however, opens the door for speculations that might lead to wrong conclusions.

WE could not unveil the secrets of the Universe if neglecting the fundamentally important philosophical principles: logical understanding, physical reality and causality (the cause precedes the consequence). The ignorance of these principles might be a reason for the discrepancy between the theoretical understanding from one side and unexplainable phenomena from the other. A recent example for such a discrepancy is the failure of the Theoretical physics to recognize the feasibility of cold fusion. The origin of all problems in contemporary physics is deeper in its fundamental base: the concept of space, adopted a century ago. The concept of space, known as a physical vacuum is not correct. This leads to a wrong vision about the microcosmos and Universe.

ALTERNATIVE APPROACH

THE treatise Basic Structures of Matter – Supergravitation Unified Theory used a new approach by reanalyzing the accumulated observations and experiments, while observing the above mentioned principles [1]. The theory was first published on-line in 2001, archived in 2002 in the National Library of Canada [2] and published as a book in 2005 [3]. Related articles are published in peer reviewed journals [4,5] and conference proceedings. According to this theory the matter possesses hierarchical levels of organization from a simple to complex forms, while the energy is indispensable feature in all these forms. At the fundamental level, the matter is in its primordial form as a bulk of two super-dense fundamental particles in a classical pure empty space (not a physical vacuum). The parameters of these particles are associated with the Planck scale of time (frequency) and size. They interact by Supergravitation forces that in pure empty space are inverse proportional to the cube of distance. This primordial form exists in the superheavy black holes located in the centers of each well developed galaxy, where an enormous abundance of these two particles exists. When the energy to matter ratio is beyond some critical level, a specific process is initiated in which the fundamental particles congregate into self-organized hierarchical levels of geometrical formations, governed by the fundamental SG law. This process leads deterministically to creation of space possessing quantum properties (known as a physical vacuum) and a galaxy as observable matter Chapter 12 of BSM-SG). The space we live in contains a superfine underlying structure, called a Cosmic Lattice, with features quite different from the old Ether concept. The physical properties of the Cosmic Lattice permit explanation of all enigmatic phenomena in Particle Physics, Quantum Mechanics, Relativity and Cosmology.

THE analysis of the physical model of Cosmic Lattice permitted to reveal its basic physical parameters, such as: a Static CL pressure, a Dynamic CL pressure, and a Partial CL pressure. The first one defines the Newtonian mass of the elementary particle (a mass equation is derived in BSM-SG, Chapter 3, §3.13). It is associated with a hidden Static Zeropoint energy that is a primary source of the nuclear energy [6]. The second one defines the Zero Point Energy (predicted by Quantum mechanics), which is related to the Electric and Magnetic fields (BSM-SG, Chapter 5). The third one is related to the inertial properties of the elementary particles (BSM-SG, Chapter 10). These features allow making analysis beyond the Newton's laws of gravity and inertia and beyond the theory of Special and General relativity. One important feature of the CL nodes is their ability of self-synchronization with an identified signature - the Compton wavelength. This phenomenon is involved in the definition of the permeability and permittivity of the physical vacuum, which defines the constancy of the speed of light according to the known equation $c = (\varepsilon_0 \mu_0)^{-1/2}$.

THE building elements of the Cosmic Lattice are two types of prisms with opposite internal twisting. The same building elements are embedded also in the elementary particles crystallized in the initial phase of the galactic evolution. All elementary particles are consisted of helical structures, but they are stable only if the helical structures are closed loops. The overall shape of the proton is a twisted torus, while the neutron is a double folded torus. The proton creates an electrical field in the physical vacuum by modulation of the vibration properties of the Cosmic Lattice nodes. The neutron appears neutral at far field because of its shape. In stars the proton and neutrons combine in atomic nuclei as fractal 3-dimensional structures. These structures match extremely well the row and column pattern of the Periodic

table of Mendeleev (BSM-SG, Chapter 8). All known features: shell structure, Pauli exclusion principle, Hund's rule, nuclear magnetic resonance, chemical valences and bond directions, obtain clear classical explanation. The electron is a single one coil helical structure of second order, possessing reach oscillation properties defying the specific known features of the electron: quantum mechanical interaction with the CL, preferable quantum energies in orbital motion, anomalous magnetic moment, embedded fine structure constant and lifetime of the electron in the upper excited orbital state in an atom [4]. The internal energy of the electron that supports its oscillation is supplied by the Dynamic energy of the Cosmic Lattice.

THE next figures illustrate graphically some structural features of the atoms according to the BSM-SG theory.




Fig. 1. Two rows from the Periodic table of elements showing the arrangement of protons and neutrons in the atomic nuclei




Fig. 2. Atomic nuclei of some selected elements




Fig. 3. Predicted atomic reaction – cold fusion between nickel and hydrogen providing a copper with a release of atomic energy.




Fig. 4 Atoms chemically connected in molecules

THE analysis of the atomic spectra of elements with more than one external electron unveils that such atoms possess an energy storage mechanism. Using this feature, the analysis of the ring atomic structures leads to the conclusion that they possess another energy storage mechanism as rotated quantum state in the ring without emission of a photon. This is in agreement with many experimental observations on properties of the biomolecules. The proteins, for example, possess a lot of atomic rings. An enormous number of atomic rings are embedded in the DNA strands. This is well known feature of DNA is illustrated in Fig. 5.

Multiple atomic rings in DNA molecule




Fig. 5. Atomic rings in DNA molecule

THE analysis of the properties of the DNA leads to the conclusion that the energy stored in the DNA can be released by a triggering, such as an excited state propagated by the DNA strands. This invokes an emission of a sequence that carries the genetic information encoded by the codons [7]. In the cells of living organism such triggering may coincide with the time of cell division. The synchronicity of the sequence can be facilitated by the large number of repeated codons in the gene known as a C-value paradox. Such synchronicity might facilitate the synchronization between the events from different cells causing an avalanche effect. Such effect will cause emission of entangled photons in the broadband infrared and radiofrequency range. Entangled photons have much stronger penetrability and can pass easily through the living tissue. In such way the cell of the living organism might have communication features that are vitally important for their normal live and division. This also explains why the tissue of living organism tries to reject a penetrated foreign tissue. The theoretically unveiled EM properties agree with some theoretical and experimental research of the proteins and DNA, known as solitons [8,9]. The most abundant quantity of atomic rings is in the proteins concentrated in the brain.

BEFORE going further to some hypothetic features of the brain, let us discuss some specific features of the photons revealed in BSM-SG theory. The single photon is an energy quant that preserves its constant energy from the place of its emission to the place of its detection. If excluding the Doppler effect, which is a result of some non-zero velocity between the emitter and receiver, the photon may traverse a vast range of space without losing a fraction of its energy. The BSM-SG analysis reveals the physical aspect of this feature. The photon is a specific wave propagated through the Cosmic Lattice with the velocity defined by the oscillation and synchronization features of the Cosmic Lattice nodes if regarding them as connected oscillators possessing spatial oscillating properties. The waveform of the photon has a helical shape involving combination of positive and negative momentary states of the involved CL nodes and neutral CL nodes states defining the magnetic lines. These states are behind the rotating electrical and magnetic vectors of the photon. If regarding the photon wavetrain as a frozen structure, its wavelength is defined by its helical step. It is known that the energy is carried by the electrical vector. The magnetic lines of the photon are at the periphery of the wavetrain, so they are open at the front and back end. The BSM-SG analysis revealed one specific feature of the magnetic lines embedded in the photon. They serve as a boundary isolation of the rotating electrical vector, so the energy of the photon is preserved during the time of its existence.

THE revealed structure of the photon invokes the following idea: What will happen if the front and back ends of a single photon are connected? In this case all the features of the stable photon possessing energy will be preserved. The energy of electrical vector will still propagate with the speed of light defined by the Cosmic Lattice features but this hypothetical closed loop photon will be localized in a finite volume. This kind of closed loop photon cannot be detected by our electromagnetic detectors because it cannot strike the detector. The stability of such close loop wavetrain will be enforced by one specific feature of the magnetic line. The closed loop magnetic line is more stable than the open magnetic line in EM field due to the increased SG forces in the involved phased synchronized Cosmic Lattice nodes included in the loop. It is theoretically and experimentally known that the photon could have a right or left circular polarization that is quite stable. Consequently, the closed loop photon may have a left or right circular polarization referenced to the direction of the electrical field rotated in the loop. Therefore it may carry a single bit of information that we can assign as 0

or 1. Furthermore, the closed loop photons might be formed of more than one photons in series. Photons connected in series do exist in lasers and they are known as entangled photons. How such closed loop photons could be generated? It is known that in fiber optics with a gradient refractive index the propagation of light follows the curvature of the fiber. We may expect that a similar microenvironment exist also in the brain.

WE may speculate that the existed atomic ring structures in the brain might be involved in generating of closed loops of entangled photons. The neurons in the human brain are interconnected with complex matrices of connections known as synaptic connections [10]. Each of the 10^{11} (one hundred billion) neurons has on average 7,000 synaptic connections to other neurons. The brain of a three-year-old child has about 10^{15} synapses (1 quadrillion). The living cells in the human brain may have micro-volume environment similar as the liquid crystals. It is known that many liquid crystals exhibit circular polarization properties that could be a clockwise or counterclockwise. Then we may speculate that such micro-volume environment with combination of the protein (containing atomic rings) involved in the neurons and synaptic connections could generate combined loops of entangled photons.

IN accordance with the above mentioned considerations we may suggest a hypothesis that the human brain, for example, is able to create a complex field of interconnected closed loop photons that will carry complex information [11]. This field even may exist outside of the human brain forming an information field. This kind of field is quite different from the known physical field and it cannot be detected by ordinary EM detectors. Its optimal interaction is only with the brain from which it is created. In some particular cases, however, it may partially interact with a different brain. In this case, however, it must be some kind of dynamic interaction that could appear common for the two different brains. This might be beyond the phenomena known as telepathy and remote viewing.

THE suggested hypothesis [11] is partly in agreement with the Holonomic Brain Theory of Karl Pribram [12], which however is more abstractive. The physical base of the information field in our hypothesis is also in agreement with the theoretical work of Andrea Detela. The following extract is the Andrea Detela definition about this field cited in the article *Fabrics of Consciousness* by Robert N. Boyd [13]. *"It is assumed that the biofield is a three-dimensional web woven of vibrating electric and magnetic fields. Lines of these fields are like tiny threads in a three-dimensional textile. These electromagnetic fields display very complex internal organization. We find a peculiar variety of chiral solutions to Maxwell equations, which do not dissipate energy and lead to stable field structures. This is the so-called informational basis of the biofield. The simplest structures of these kind are toroidal knots. When electric charge with very light mass enters the informational biofield, non-linear phenomena take place. These non-linear phenomena are based upon bifurcations in internal electric currents and upon resonance effects between currents and fields. We find an evolution of the field structure. This evolution is a syntropic process, oriented in time. There are several obvious conditions for syntropic behavior, and one of them is [found to be a] quantum coherence in the states of electric charge.*

THE suggested hypothesis [11] needs a lot of further research and experiments. One of the first steps will be the attempt for experimental detection of such kind of field that we may associate with the existence of hypothetical aura. To do this we must understand what kind of physical parameter might be affected by the envisioned information field. According to BSM-SG one of the features of the CL space that defines the constant speed of light is the self-synchronization between the Cosmic Lattice nodes. It appears as self-created fluctuation of

wavelengths equal to one or whole number of Compton's wavelengths. This corresponds to the predicted fluctuations of the physical vacuum envisioned by Modern Physics. The closed loop photons may slightly change the randomness and isotropy of these self-created fluctuations, which may affect the Brownian motion of the gas molecules occupying this particular volume. As a result it may slightly change the condition of light scattering by the air molecules in the volume occupied by this field. In a properly design experiment such change could be possibly detected. This could be a passive way of detection that should not affect the information field. Our research on available technology indicates that the passive method of detection probably is implemented in the method called Polycontrast Interference Photography [14]. In the past, another method known as Kirllian effect has been used. We do not recommend this method for detection of the information field connected to the human brain, because it uses high voltage potential and broad range of frequencies. Therefore, it may affect in some cases the normal interaction between the information field and the physical function of the brain.

FOCUSING on the energy of the living organism we may conclude that every living organism needs an internally accumulated energy for living. This energy must be stored in the atomic rings of biomolecules that serve as energy accumulators. How the atomic rings are charged with energy? One of the sources can be a result of chemical processes in the organism related to the digestion. Another type of source is of irradiative kind. One of the natural radiation sources is the EM radiation from the Sun. Today, however, a lot of artificial sources of EM radiation exist. All natural and artificial radiation sources may cause a charge and discharge. The overcharging also could cause a discharge. Some artificial EM sources may cause overcharge following by discharge, which may not be according to the proper period controlled by the living organism. This kind of energy interaction between the living organisms and the natural and artificial radiation sources has not been seriously investigated so far.

SUMMARY AND CONCLUSIONS

EVERYTHING in the Universe from the deeper microcosmos to Cosmology is governed be energetic interactions, while the energy cannot exist independently from matter. This is valid for not alive and alive forms of the Nature. The relation between matter and energy during the galactic evolution phases and the observable matter, according to the BSM-SG theory is illustrated by the matter – energy diagram shown in Fig. 6. At lower level of matter organization, the energy density is extremely high, while it governs simple but strong interactions at extremely high frequency. At higher levels of matter organization the energy density decreases but it governs complex interactions at lower frequencies. The frequency division up to the level of Cosmic Lattice is based on spatial modes of vibrations. Above this level the frequency division is based on oscillating spatial interactions between the Cosmic Lattice (physical vacuum) from one side and the elementary particles from the other. At higher level of matter organization: atoms, molecules, biomolecules, the interactions become much more complex. The energy density for their interactions is weaker but precisely distributed and channeled. At some higher level of matter organization corresponding to living species, the energy interactions does not obey the second law of thermodynamics, because some energy is extracted from the Zeropoint energy of the physical vacuum due to complex interaction processes.

Selected articles of the author are available in the archive

http://vixra.org/author/stoyan_sarg

REFERENCES

1. **S. SARG**, NEW APPROACH FOR BUILDING OF UNIFIED THEORY, [HTTP://LANL.ARXIV.ORG/ABS/PHYSICS/0205052](http://LANL.ARXIV.ORG/ABS/PHYSICS/0205052) (2002)
2. **S. SARG ©2001**, BASIC STRUCTURES OF MATTER, MONOGRAPH, [HTTP://WWW.HELICAL-STRUCTURES.ORG](http://WWW.HELICAL-STRUCTURES.ORG) ALSO IN: [HTTP://WWW.NLC-BNC.CA/AMICUS/INDEX-E.HTML](http://WWW.NLC-BNC.CA/AMICUS/INDEX-E.HTML) (FIRST EDITION, ISBN 0973051507, 2002; SECOND EDITION, ISBN 0973051558, 2005), (AMICUS No. 27105955)
3. **S. SARG**, STOYAN SARG, *BASIC STRUCTURES OF MATTER – SUPERGRAVITATION UNIFIED THEORY*, TRAFFORD PUBLISHING, 2006, ISBN 1412083877
4. **S. SARG**, A PHYSICAL MODEL OF THE ELECTRON ACCORDING TO THE BASIC STRUCTURES OF MATTER HYPOTHESIS, PHYSICS ESSAYS, VOL. 16 No. 2, 180-195, (2003); [HTTP://WWW.PHYSICSESSAYS.COM](http://WWW.PHYSICSESSAYS.COM)
5. **S. SARG**, BRIEF INTRODUCTION TO THE BASIC STRUCTURES OF MATTER THEORY AND DERIVED ATOMIC MODELS, JOURNAL OF THEORETICS, (2003) [HTTP://WWW.JOURNALOFTHEORETICS.COM/LINKS/PAPERS/SARG.PDF](http://WWW.JOURNALOFTHEORETICS.COM/LINKS/PAPERS/SARG.PDF)
6. **STOYAN SARG**, PHYSICS OF COLD FUSION WITH THE BSM–SG ATOMIC MODELS, GENERAL SCIENCE JOURNAL, (2013) [HTTP://GSJOURNAL.NET/SCIENCE-JOURNALS/ESSAYS/VIEW/4805](http://GSJOURNAL.NET/SCIENCE-JOURNALS/ESSAYS/VIEW/4805)
7. **S. SARG**, APPLICATION OF BSM ATOMIC MODEL FOR THEORETICAL ANALYSIS OF BIOMOLECULES, *JOURNAL OF THEORETICS*, (2002), WWW.JOURNALOFTHEORETICS.COM/LINKS/PAPERS/SARG1.PDF
8. **DAVYDOV, ALEKSANDR S.** (1991). *SOLITONS IN MOLECULAR SYSTEMS*. MATHEMATICS AND ITS APPLICATIONS (SOVIET SERIES) **61** (2ND ED.) KLUWER ACADEMIC PUBLISHERS. [ISBN 0-7923-1029-2](http://ISBN.ORG/9781402001029).
9. **YAKUSHEVICH, LUDMILA V.** (2004). *NONLINEAR PHYSICS OF DNA* (2ND REVISED ED.). WILEY-VCH. [ISBN 3-527-40417-1](http://ISBN.ORG/9783527404171).
10. **D. DRACHMAN** (2005). "DO WE HAVE BRAIN TO SPARE?". *NEUROLOGY* **64** (12): 2004–5. [DOI: 10.1212/01.WNL.0000166914.38327.BB](https://doi.org/10.1212/01.WNL.0000166914.38327.BB). [PMID 15985565](https://pubmed.ncbi.nlm.nih.gov/15985565/)
11. **STOYAN SARG**, INFORMATION FIELD BASED ON ENTANGLED PHOTON LOOPS, WWW.VIXRA.ORG/ABS/1307.0059
12. **KARL PRIBRAM** [HTTP://WWW.SCHOLARPEDIA.ORG/ARTICLE/HOLONOMIC_BRAIN_THEORY](http://WWW.SCHOLARPEDIA.ORG/ARTICLE/HOLONOMIC_BRAIN_THEORY) (2007)
13. **ROBERT N. BOYED**, FABRICS OF CONSCIOUSNESS, ITC JOURNAL, No. 11; ALSO: THE PHYSICS OF CONSCIOUSNESS, [HTTP://PEACEPINK.NING.COM/PROFILES/BLOGS/2351430:BLOGPost:2113](http://PEACEPINK.NING.COM/PROFILES/BLOGS/2351430:BLOGPost:2113)
14. POLYCONTRAST INTERFERENCE PHOTOGRAPHY, OLDFIELD SYSTEMS, LTD [HTTP://WWW.ELECTROCRYSTAL.COM/PIP.HTML](http://WWW.ELECTROCRYSTAL.COM/PIP.HTML)




Fig. 6. Matter – energy diagram according to the BSM – Supergravitation Unified Theory